Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	52	(subscriber or user) with dynamically with adjust\$3 with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:20
L2	89	(subscriber or user) with dynamically with adjust\$3 with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:20
L3	39	2 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
L4	1044	709/232,240.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
L5	1245	709/226.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
L6	1277	(L4 or L5) and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
L7	1277	L6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
L8	35	user with download\$ with upload\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
L9	25	L8 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
L10	25	L9	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:32
S1		limit\$6 with (user or subscriber or client) near5 selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:07

			•	•		
S2	1	(user or subscriber or client) near5 selected near3 bandwidth same gateway	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:53
S3	2	(user or subscriber or client) near5 selected near3 bandwidth same (gateway or router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:54
S4	118	(user or subscriber or client) near5 selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:00
S5	16	"4".ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:56
S6	14	((user or subscriber or client) near5 selected near3 bandwidth) with limit\$8	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:01
S7	186	limit\$6 near5 selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:09
S8	23	(limit\$6 near5 selected near3 bandwidth) same (user or subscriber or client)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:08
S9	12	((limit\$6 near5 selected near3 bandwidth) same (user or subscriber or client)) not (((user or subscriber or client) near5 selected near3 bandwidth) with limit\$8)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:09
S10	12	((limit\$6 near5 selected near3 bandwidth) same (user or subscriber or client)) not (limit\$6 with (user or subscriber or client) near5 selected near3 bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:09
S11	169	limit\$6 with selected near3 bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:10
S12	29	"11".ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:10

S13	692	709/232,240.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:41
S14	1	709/232,240.ccls. and (limit\$6 near5 selected near3 bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 13:31
S15	0	(subscriber with identif\$6 with MAC) and AAA	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 13:31
S16	15	subscriber with identif\$6 with MAC	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 13:35
S17	15	MAC with (reciv\$6 or recipient) with identif\$7	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 13:48
S18	9	(MAC with (reciv\$6 or recipient) with identif\$7) and subscriber	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:06
S19	38	AAA with subscriber	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:07
S20	2	AAA with subscriber with management	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:10
S21	457	delay\$2 with determin\$6 with time with size	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:11
S22	37	delay\$2 with determin\$6 with time with size with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:12
S23	0	delay\$2 with determin\$6 with time with size with packet with byte	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:12
S24	6	delay\$2 with determin\$6 with time with size with byte	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:13

			•	-		
S25	107	709/232,240.ccls. and (delay\$2 with time and byte)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:14
S26	5	709/232,240.ccls. and (delay\$2 with time with byte)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:17
S27	181	(delay\$2 with based with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:18
S28	38	(delay\$2 with based with time with size with determi\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:19
S29	1940	"ring buffer"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:21
S30	2	"ring buffer" and ((delay\$2 with based with time with size))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:22
S31	0	(AAA with subscriber) and (709/232,240.ccls. and (delay\$2 with time and byte))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:21
S32	2	"ring buffer" and (709/232,240. ccls. and (delay\$2 with time and byte))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:21
S33	0	"ring buffer" and ("delay period" with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:23
S34	2488610	determin\$6 ("delay period" with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:23
S35	2	determin\$6 with ("delay period" with time with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:24
S36	164	determin\$6 with ("delay time" with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:24

			•	-		
S37	20	determin\$6 with ("delay time" with size) with buffer	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:28
S38	2172	maximum with delay with seconds	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:28
S39	42	maximum with delay with "2 seconds"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:31
S40	4	(maximum with delay with "2 seconds") and packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:29
S41	14	(maximum with delay with "2 seconds") and buffer	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:39
S42	2	"5787483".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:40
S43	0	"5787483".pn. and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:40
S44	2	"6609153".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:40
S45	0	"6609153".pn. and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:40
S46	70	"ring buffer" and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:41
S47	10566	"70" and queue	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:42
S48	70	("ring buffer" and wireless)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:42

				_		
S49	15	("ring buffer" and wireless) and queue	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:45
S50	0	("ring buffer" and wireless) and (limit\$6 near5 selected near3 bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:44
S51	29	("ring buffer" and wireless) and packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:45
S52	0	(("ring buffer" and wireless) and packet) and 709/232.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:46
S53	5	(("ring buffer" and wireless) and packet) and "709"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:52
S54	4	queu\$6 with "ring buffer" with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:53
S55	1	(queu\$6 with "ring buffer" with packet) and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:57
S56	2	"5793978".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:58
S57	0	"5793978".pn. and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 14:58
S58	0	subscriber with profile with selected with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:32
S59	56	profile with selected with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:33
S60	30	(profile with selected with bandwidth) and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:41

S61	1	(profile with (selected adj bandwidth)) and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:41
S62	4	profile with (selected adj bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:36
S63	2	"6345293".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:36
S64	1	"6345293".pn. and profile with selected	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:37
S65	0	"6345293".pn. and profile with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:37
S66	0	"6345293".pn. and profile same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:37
S67	1	"6345293".pn. and profile and bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:37
S68	0	user with badnwidth with profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:41
S69	73	user with bandwidth with profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:41
S70	54	(user with bandwidth with profile) and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 11:17

67.		UE202403#	T	T		
S71	2	"5787483".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 11:17
S72	10	dynamic\$ with adjust\$ with profile with (bandwidth or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:22
S73	6	S72 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 13:21
S74	2	"5113499".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:19
S75	1	S74 and (rate or badwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:21
S76	1	S74 and (rate or bandwidth)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:20
S77	0	S74 and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:21
S78	1	S74 and rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:21
S79	879	adjust\$ with profile with (bandwidth or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:22
S80	623	S79 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:23
S81	177	S79.ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:23
S82	117	S81 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:05

				_		
S83	1548	dynamic\$ with adjust\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:23
S84	0	S83 and S82	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:23
S85	41502	dynamic\$ with (adjust\$ or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:24
S86	8	S85 and S82	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:25
S87	54	S85 and S80	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:25
S88	46	S87 not S86	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:30
S89	1	"6738371".pn. and profile	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:41
S90	1	"6738371".pn. and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:53
S91	0	"6738371".pn. and MAC	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:01
S92	1	"6738371".pn. and delay\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:44
S93	2	"6738371".pn. and receiv\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:45
S94	1	"6738371".pn. and retriev\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:04

S95	7	profile with upload\$ with download\$ with (bandwidth or rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:05
S96	114632 ·	"243" and @ad<"19991022" .	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:38
S97	6	S95 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 13:05
S98	7	profile with upload with download with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:40
S99	6	S98 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:39
S10 0	8	profile with transmitting with receiving with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:39
S10 1	5	S100 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:41
S10 2	0	profile with upload with download with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:40
S10 3	2	(customer or user) adj2 defined with upload with download	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:43
S10 4	2	S103 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:58
S10 5	862	709/232,240.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:42
S10 6	1027	709/226.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:42

S10 7	1244	(S105 or S106) and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:43
S10 8	1	(customer or user) adj2 defined with transmitting with receiving with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:43
S10 9	24	(customer or user) adj2 defined with transmitting with receiving	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:43
S11 0	16	S109 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:53
S11 1	0	user with reguala\$ with transmi\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:53
S11 2	42	user with regula\$ with transmi\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:54
S11 3	25	S112 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:54
S11 4	1	user with regulat\$ with transmi\$ with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:54
S11 5	1	S114 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:57
S11 6	14	P2P with file with sharing	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:55
S11 7	0	S116 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:57
S11 8	20	user with download\$ with upload\$ with bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:00

		LAST Scare		,		
S11 9	12	S118 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:00
S12 0	32	user with download\$ with upload\$ with rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:00
S12 1	0	user with download\$ with upload\$ with rate with control\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:00
S12 2	25	S120 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:00
S12 3	2	"6654808".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:56
S12 4	2	"5787483".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:58
S12 5	2	subscriber with associat\$3 with MAC with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:59
S12 6	0	S125 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:59
S12 7	76	subscriber with MAC with packet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 16:59
S12 8	46	S127 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 17:01
S12 9	13	S127.ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 17:00
S13 0	7	S129 and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 17:01

S13 1	3563	text with conver\$4 with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 10:07
S13 2	38	text with conver\$4 with image with handwriting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 10:07
S13 3	8	S132.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 10:07